Rotary Field Electric

Generator

Economical Low Maintenance Lightweight

SPECIFICATIONS

- ★ 120 volts
- 750 watts
- ★ 6.25 amps
- ★ Class (F) insulation
- **★** Fused circuit protector
- **★ NEMA receptacles**
- **★** Battery charging (optional) & factory installed
- ★ Engine has only 3 moving parts with lubrication on every stroke of the piston
- ★ Pre-mixed oil-fuel, permits engine lubrication regardless of operating angle
- ★ Fuel tank, 1¼ quart standard. Remote 21/2 gallon (optional) & factory installed

Clinton

SHIPPING WEIGHT - 56 LBS.

MODEL

500 - 750W



WEIGHT - 48 LBS.

CLINTON ENGINES CORPORATION

Maquoketa, Iowa 52060

CABLE ADDRESS: ENGINES

PHONE (319) 652-2411

WATTAGE REQUIRED FOR FREQUENTLY USED APPLIANCES

FOR:

CAMPING	APPLIANCE	WATTS
	Toaster	450 - 660
BOATING	Light Bulbs	See Bulb
Trining to the second s	Fluorescent Lighting	
HUNTING	Electric RazorRadio	
FIGURE	Television	150 - 400
FISHING	Sewing Machine	
FMEDARMORE	Vacuum Cleaner	200 - 300
EMERGENCIES	Hair Dryer	
- A A A G A G A G A G A G A G A G A G A	Percolator	
RANCHES	Sun Lamp	
	Refrigeration	
FARMS	Deep Freeze	
	Electric Drill (1/2 inch)	200 - 400
RESORTS	Electric Blanket	150 - 200
RES SIKIS	Popcorn Popper	400 - 600
SURVIVAL SHELTERS	Soup Warmer, etc.	
SORVIVAL SHEETERS	Soldering Iron	
TRAILERS	Transceiver	100 - 300
INAILLNO	Record Player	100 - 300
	Tape Recorder	75 - 300
	Electric Guitar	50 - 200
	Hedge Trimmer	250 - 600
	Can Opener	
	Battery Charger	100 - 500
OPERATES:	Electric Heater	500 - 600
OPERATES:	Fan or Heating Pad	
SMALL TOOLS	Iron (Hand Type)	
SMALL TOOLS	Brooder * Bar-B-Q Motor	100 - Up
DADIOC	Beauty Mirror	23 - 40
RADIOS	* Fan	40 - 300
TELEVICION	Electric Clippers & Shavers	
TELEVISION	Juice Maker	90
1101170	Electric Knife	100
LIGHTS	Malt Mixer	100 - 150
	Food Mixer	
APPLIANCES	*Ice Cream Maker	120 - 250
	Large Sewing Machine	150
SMALL PUMPS	* Shoe Polisher	
	Most Camping Assessation	Polovy 200

FOR YOUR REFERENCE:

SPOT LIGHTS

*Appliances with induction motors require at least double the amount of wattage listed above. The induction motor derives its name from the mutual induction (transformer action) that takes place between the stator and the rotor. The rotor is not connected electrically to the power supply.

Please be sure to check the specific wattage requirements and operating instructions of appliances to be used and also, check the maximum power rating for each

Generator.

WATTS REQUIRED FOR MOTORS

Most Camping Accessories

Waffle Iron

Below 300

*550 - 700 *275 - 600 *400 - 700

\	Vatts input for starting	Watts			
Motor	Capacitor &	Split	Input		
Нр.	Repul. Ind.	Phase	Running		
1/8	700	1050	225		
1/6	900	1550	275		
1/4	1100	2000	400		
1/3	1500	3300	500		
1/2	2500	4500	750		
3/4	3600	The second	900		
1	4500	-	1200		
1 1/2	5500	-	1500		
2	7000	en Arriva da v	2000		

^{*}Increase above figures 15% for 3450 RPM motors.



CLINTON ENGINES CORPORATION . MAQUOKETA, IOWA 52060

PHONE AREA 319 652-2411

Rotary Field Electric

(Confidential)

Effective: September 1, 1981

(Distributor)

Generator

MODEL NUMBER	DESCRIPTION	SUGGESTED LIST PRICE	NET PRICE 1-11 UNITS	NET PRICE 12 UNITS & UP		
500-750W	Compact, Lightweight 750 Watt Rotary Field Generator	\$465.25	\$316.40	\$279.20		
500-750W-BC	Compact, Lightweight 750 Watt Rotary Field Generator with Battery Charging	\$486.65	\$330.90	\$292.00		

WEIGHT: -----56 lbs. SHIPPING WEIGHT -----56 lbs.

TERMS: ---- F.O.B. Maquoketa, Iowa

TOTAL STATE OF THE SECOND SECO

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

There are no warranties which extend beyond the product description excepting only that each product sold hereunder is warranted as follows:

90 DAY LIMITED WARRANTY

For 90 days from purchase, Clinton Engines Corporation, will replace for the original purchasers, free of charge, any part or parts, found upon examination by any factory authorized service account or by factory at Maquoketa, Iowa, to be defective in material or workmanship or both. All transportation charges on parts submitted for replacement under this warranty must be borne by purchaser.

There is no other express warranty.

Implied warranties, including those of merchantability and fitness for a particular purpose are limited to 90 days from purchase and to the extent permitted by law any and all implied warranties are excluded. This is the exclusive remedy and liability for consequential damages under any and all warranties are excluded to the extent exclusion is permitted by law.

(See Reverse Side For Accessories)

Printed in U.S.A.

(Distributor)

ACCESSORIES

EXTENDI	ED SNO	ORKEL	AIR CLEA	NER	KIT, PART	NO. 2	2-23	8-500	वक्त आन्त्र केंद्रीत पात्र देशके अबंद कार्य, व्योग क्षेत्र क्षेत्र कार्य, गरंभ गरंभ व्याप विका	\$	6.68
REMOTE	FUEL	TANK	ASSEMBLY		14 GALLON,	PART	NO.	P277-530-500	gaile alleaded habe feel that shak was talk and stape and make high ever	\$1	2.89
REMOTE	FUEL	TANK	ASSEMBLY	-	31 GALLON,	PART	NO.	C277-543-500	sear-later year faller faller days dejon dejon dejon des dejon des faller faller later dejon des	\$1	9.67
REMOTE	FUEL	TANK	ASSEMBLY	- (GALLON,	PART N	ю.	C277-531-500	gen zero-risis, usun sister digin sons since escol stratu-ente sons com com sing statu-ente	\$2	0.59

NOTE: ENGINE MUST BE EQUIPPED FROM FACTORY FOR REMOTE TANK HOOK-UP.